



**MEISTER**

# Parquet flooring

MeisterParquet. longlife

**Longlife**  
PARQUET



**Longlife**  
PARQUET



## MeisterParquet. longlife

# Parquet for life!

MeisterParquet. longlife is your floor for life. Quite literally, because it is highly durable and indent-resistant – in other words, made to last! This is made possible by its special structure with a high-quality HDF middle layer (HDF = high-density fibreboard). This is not only technically advantageous, but extremely sustainable too. Although wood is a renewable material, we should still use it sparingly and treat it with care. That's why MeisterParquet. longlife is not a solid wood floor, but consists of three layers with a high-quality real-wood covering layer. This optimises our wood consumption and ensures that you can enjoy your floor for a long time to come. MEISTER longlife warranty included, of course!




[www.blauer-engel.de/uz176](http://www.blauer-engel.de/uz176)

Except for smoked oak



## Easy to clean

In the ultra matt lacquered variant, MeisterParquet. longlife has a highly stain-resistant surface with an anti-fingerprint/anti-footprint effect. Frequent vacuum cleaning and, if necessary, damp mopping with an appropriate cleaning product is sufficient for regular maintenance.




Standard lacquer

Ultra matt lacquer  
Duratec Nature

## Indent-resistant

MeisterParquet. longlife is extremely durable and resilient. Thanks to its highly stable HDF middle layer, the press-in behaviour responds much better to mechanical pressure loads than parquet flooring with a standard spruce middle layer.



Standard parquet flooring  
with spruce middle layer  
(3.6 mm oak covering layer)



MeisterParquet. longlife  
with HDF middle layer  
(2.5 mm oak covering layer)

## Quiet

Greater mass produces less vibrations. By using the HDF middle layer, the net weight of the planks is increased by approx. 50%. The result: fewer vibrations, less room noise – and more quiet.



→ Spruce middle layer  
(approx. 540 kg / m<sup>3</sup>)



→ approx. 50% higher  
net weight  
→ HDF middle layer  
(approx. 890 kg / m<sup>3</sup>)

**Longlife**  
PARQUET

## Energy-saving

In contrast to standard spruce base boards, there are hardly any air pockets in the high-density HDF middle layer that might have a heat-insulating effect. As a result, the heat from the underfloor heating reaches the living space quicker and with less heat loss.



### MeisterParquet. longlife

with MEISTER Silence 25 DB  
(0.12 m<sup>2</sup>K/W)

### 0.15 m<sup>2</sup>K/W

Maximum value defined by  
Federal Association of Surface  
Heating and Surface Cooling e. V.  
(Bundesverband Flächenheizungen  
und Flächenkühlungen e. V.)

## Easy to install

Our innovative locking systems ensure easy installation, a maximum-precision fit and permanent joint locks – even in a floating installation.




## Ecological

Compared with a solid wood floor, the surface of MeisterParquet. longlife uses only a tenth of the amount of the valuable wood material.



## Healthy living


MeisterParquet. longlife is a natural product. It has a moisture-regulating effect and ensures a healthy living climate. The antibacterial surface provides added hygiene!



## Water-resistant\*

Together with the tightly locking click system, the AquaStop edge impregnation prevents water from penetrating the floor and provides up to four hours of protection against standing water.

\*except PS 500



WATER  
RESISTANT  
4h








# MeisterParquet. longlife

Two things give MEISTER floors their amazingly long life: their high quality, carefully selected materials and their intelligent multi-layer structure. Together with the dimensionally stable HDF middle layer used by us, this guarantees you a tough floor that remains beautiful over many years. The Weartec® Nature and Duratec Nature surface finishes emphasise the character of the respective woods using high-quality oils, waxes or lacquer and ensure durable, easy-care floors. MeisterParquet. longlife is also suitable for laying on subfloors with controlled hot water underfloor heating.



\* Can be laid in humid rooms, such as bathrooms (except PS 500). With naturally oiled surfaces, a first cleaning with a care oil such as Dr. Schutz Premium Care Oil is required. This does not include outdoor areas or wet rooms, such as saunas, shower cubicles, steam rooms or rooms with a floor drain.

\*\* Tested bacteria: Staphylococcus aureus, Escherichia coli

# Ultra matt lacquer or natural oil - which one is right for me?

Wood is a natural raw material processed for MeisterParquet. longlife with our special surface finish – a high-quality ultra matt lacquer or a natural oil. Both have their own advantages, which go far beyond visual effects!



## Here's how to keep your flooring beautiful!

Whether it's oiled or ultra matt lacquered, parquet flooring requires care products specially tuned to its properties. This is how you ensure that the flooring stays beautiful for longer and the protective surface film stays in the best condition. You can find all products and tips covering cleaning and care at [www.meister.com/en/advice/care.html](http://www.meister.com/en/advice/care.html)



MeisterParquet. longlife PS 300  
Smoked oak harmonious 9018 / brushed / ultra matt lacquered



MeisterParquet. longlife PD 400  
Authentic steamed oak 9026 / brushed / naturally oiled



## Ultra matt lacquer Duratec Nature

The ultra matt lacquer “Duratec Nature” penetrates moisture deep into every pore and is thus very low-maintenance and largely resistant to common stains and household chemicals.

- **Ultra matt appearance, looks almost oiled**
- **Particularly stain-resistant**
- **Anti-fingerprint and anti-footprint effect**
- **Highly resistant to micro-scratches and wear**
- **Low-maintenance**

## Natural oil Weartec® Nature

Weartec Nature provides the wood with valuable oils and waxes, and forms a protective surface.

- **Particularly natural look**
- **Breathable and moisture-regulating**
- **Can also be partially re-oiled**
- **In areas subject to heavy use (such as hallways or kitchens) and commercial areas, an initial clean is required after installation**

### PLEASE NOTE:



- Regular care
- Re-oiling according to the floor's usage is necessary to preserve its value; generally once a year (and more often in heavily used areas, such as in kitchens)

# MeisterParquet. longlife at a glance



**PD 450**  
2400 x 255 x 13 mm



**PC 200**  
2400 x 200 x 13 mm



**PD 400**  
2200 x 180 x 13 mm



**PS 300**  
1187 x 142 x 13 mm



**PS 500**  
710 x 142 x 13 mm



MeisterParquet. longlife PS 500  
Authentic greige oak 9006 / brushed / ultra matt lacquered



## MeisterParquet. longlife PD 450

- 1-strip (plank)
- Ultra matt lacquered surface
- Longitudinal V-bevel and micro-bevel on the end
- Suitable for humid rooms, water-resistant for 4 hours
- Click system: Masterclac Plus
- MEISTER longlife warranty\* in living areas
- approx. 2.5 mm fine wood wear layer
- Thickness: 13 mm
- Effective measurement: 2400 x 255 mm



MeisterParquet. longlife PD 400  
Authentic greige oak 9029 / brushed / naturally oiled

## MeisterParquet. longlife PD 400

- 1-strip (plank)
- Naturally oiled or ultra matt lacquered surface
- Longitudinal V-bevel and micro-bevel on the end
- Suitable for humid rooms, water-resistant for 4 hours
- Click system: Masterclac Plus
- MEISTER longlife warranty\* in living areas
- approx. 2.5 mm fine wood wear layer
- Thickness: 13 mm
- Effective measurement: 2200 x 180 mm

## MeisterParquet. longlife PS 500

- 1-strip (strip parquet for herringbone look)
- Ultra matt lacquered surface
- All-round micro-bevel
- Click system: UniZip
- MEISTER longlife warranty\* in living areas
- approx. 2.5 mm fine wood wear layer
- Thickness: 13 mm
- Effective measurement: 710 x 142 mm



MeisterParquet. longlife PS 300  
Pure oak harmonious 9013 / brushed / ultra matt lacquered

## MeisterParquet. longlife PS 300

- 1-strip (short planks)
- Ultra matt lacquered surface
- All-round micro-bevel
- Suitable for humid rooms, water-resistant for 4 hours
- Click system: Multiclic
- MEISTER longlife warranty\* in living areas
- approx. 2.5 mm fine wood wear layer
- Thickness: 13 mm
- Effective measurement: 1187 x 142 mm

## MeisterParquet. longlife PC 200

- 3-strip
- Ultra matt lacquered surface
- Suitable for humid rooms  
Water-resistant for 4 hours
- Click system: Masterclac Plus
- MEISTER longlife warranty\* in living areas
- approx. 2.5 mm fine wood wear layer
- Thickness: 13 mm
- Effective measurement: 2400 x 200 mm

# **Knots, cracks and the like:**

# **How the grading affects the flooring aesthetic**

In nature, no one tree is like another – even within one tree, the wood looks very different. Exactly the same applies to parquet: Each individual plank is shaped by structure, the number of knotholes and cracks, and the colours at play in the wood that's being processed. The “grading” describes whether the parquet flooring will appear more calm and elegant, or varied and rustic. MeisterParquet. longlife is available with three different gradings: authentic, lively and harmonious.





**Structural differences**



**Core**



**Healthy knots**



**Filled knot**



**Filled crack**



**Sapwood**



**Colour variations**



# Authentic, lively, harmonious: Our parquet gradings

## Authentic

- Colour variations and structural differences between the planks
- Contains heartwood and cracks
- Healthy cracks, not limited in size or quantity
- Isolated sapwood elements (PS 500/PS 300 are sapwood-free)
- Knots and cracks are filled
- Small knots and cracks that cannot be filled may occur





## Lively

- Colour variations and structural differences between the planks
- Healthy, tightly intergrown knots
- Heartwood and sapwood (oak planks are sapwood-free)
- Knots are filled
- Small knots and cracks that cannot be filled may occur

## Harmonious

- Balanced interplay of colours and structures
- No sapwood, no cracks
- A few small, tightly intergrown knots
- Occasional cracked knots may occur and are filled







# Surfaces

**MeisterParquet. longlife PD 450**

Ultra matt lacquered

Page 18

**MeisterParquet. longlife PD 400**

Naturally oiled

Page 24

Ultra matt lacquered

Page 30

**MeisterParquet. longlife PS 500**

Ultra matt lacquered

Page 36

**MeisterParquet. longlife PS 300**

Ultra matt lacquered

Page 42

**MeisterParquet. longlife PC 200**

Ultra matt lacquered

Page 48

# MeisterParquet. longlife PD 450 ultra matt lacquered



**Limed white authentic oak 9003**  
brushed / ultra matt lacquered



**Off-white oak harmonious 9005**  
brushed / ultra matt lacquered



**Pure authentic oak 9004**  
brushed / ultra matt lacquered



**Oak harmonious 9000**  
brushed / ultra matt lacquered



**Oak lively 9048**  
brushed / ultra matt lacquered



**Greige oak lively 9049**  
brushed / ultra matt lacquered

















# MeisterParquet. longlife PD 400 naturally oiled



**Authentic off-white oak 9031**  
brushed / naturally oiled



**Authentic caramel oak 9028**  
brushed / naturally oiled



**Pure oak harmonious 9030**  
brushed / naturally oiled



**Natural light oak lively 9023**  
brushed / naturally oiled





**Oak harmonious 9022**  
brushed / naturally oiled



**Pure authentic oak 9025**  
brushed / naturally oiled



**Authentic oak 9024**  
brushed / naturally oiled



**Authentic greige oak 9029**  
brushed / naturally oiled



**Authentic oak lightly smoked look 9027**  
brushed / naturally oiled



**Authentic steamed oak 9026**  
brushed / naturally oiled













# MeisterParquet. longlife PD 400 ultra matt lacquered



**Polar white oak harmonious 9008**  
brushed / ultra matt lacquered



**Limed off-white oak lively 9014**  
brushed / ultra matt lacquered



**Limed white authentic oak 9003**  
brushed / ultra matt lacquered



**Off-white oak lively 9012**  
brushed / ultra matt lacquered



**Authentic off-white oak 9017**  
brushed / ultra matt lacquered



**Authentic cream oak 9010**  
brushed / ultra matt lacquered



**Authentic lyed-look oak 9015**  
brushed / ultra matt lacquered





**Pure oak harmonious 9013**  
brushed / ultra matt lacquered



**Pure authentic oak 9004**  
brushed / ultra matt lacquered



**Oak harmonious 9000**  
brushed / ultra matt lacquered



**Oak lively 9001**  
brushed / ultra matt lacquered



**Authentic oak 9011**  
brushed / ultra matt lacquered



**Authentic greige oak 9019**  
brushed / ultra matt lacquered



**Authentic steamed oak 9016**  
brushed / ultra matt lacquered



**American walnut lively 9009**  
brushed / ultra matt lacquered



**Smoked oak lively 9007**  
brushed / ultra matt lacquered













# MeisterParquet. longlife PS 500 ultra matt lacquered



**Authentic off-white oak 9021**  
brushed / ultra matt lacquered



**Authentic cream oak 9020**  
brushed / ultra matt lacquered



**Pure oak harmonious 9013**  
brushed / ultra matt lacquered



**Oak harmonious 9000**  
brushed / ultra matt lacquered



**Authentic oak 9002**  
brushed / ultra matt lacquered





**Authentic greige oak 9006**  
brushed / ultra matt lacquered



**American walnut lively 9009**  
brushed / ultra matt lacquered



**Smoked oak harmonious 9018**  
brushed / ultra matt lacquered









**MeisterParquet. longlife PS 500**  
Authentic oak 9002 / brushed / ultra matt lacquered



**MeisterParquet. longlife PS 500 / American walnut lively 9009** / brushed / ultra matt lacquered





# MeisterParquet. longlife PS 300 ultra matt lacquered



**Authentic off-white oak 9021**  
brushed / ultra matt lacquered



**Authentic cream oak 9020**  
brushed / ultra matt lacquered



**Pure oak harmonious 9013**  
brushed / ultra matt lacquered



**Oak harmonious 9000**  
brushed / ultra matt lacquered



**Authentic oak 9002**  
brushed / ultra matt lacquered





**Authentic greige oak 9006**  
brushed / ultra matt lacquered



**American walnut lively 9009**  
brushed / ultra matt lacquered



**Smoked oak harmonious 9018**  
brushed / ultra matt lacquered

















# MeisterParquet. longlife PC 200 ultra matt lacquered



**White ash lively 9044**  
brushed / ultra matt lacquered



**Pure ash lively 9047**  
brushed / ultra matt lacquered



**Off-white oak lively 9035**  
brushed / ultra matt lacquered



**White oak lively 9042**  
vintage structure, brushed / ultra matt lacquered



**Cream oak lively 9037**  
brushed / ultra matt lacquered



**Pure oak lively 9036**  
brushed / ultra matt lacquered



**Oak harmonious 9032**  
brushed / ultra matt lacquered





**Oak lively 9033**  
brushed / ultra matt lacquered



**Oak lively 9041**  
vintage structure, brushed / ultra matt lacquered



**Steamed beech harmonious 9045**  
brushed / ultra matt lacquered



**Steamed beech lively 9046**  
brushed / ultra matt lacquered



**Oak lively lightly smoked look 9039**  
brushed / ultra matt lacquered



**Greige oak lively 9038**  
brushed / ultra matt lacquered



**Olive grey oak lively 9040**  
vintage structure, brushed / ultra matt lacquered



**American walnut harmonious 9043**  
brushed / ultra matt lacquered



**Smoked oak lively 9034**  
brushed / ultra matt lacquered









MeisterParquet. longlife PC 200 / Cream oak lively 9037 / brushed / ultra matt lacquered




MeisterParquet. longlife PC 200 / Pure oak lively 9036 / brushed / ultra matt lacquered







# MeisterParquet. longlife - for more than just the floor!



## Parquet flooring on the wall

One thing is clear: an elegant wood surface lasts longer than any wallpaper and is a quantum leap in exclusive living. Whether it's full-surface wall cladding or a specially accentuated area, as a continuation to the flooring or a separate design statement: wood on walls influences a room's atmosphere, sound and the lighting effect in a unique way.

Where does the floor end and the wall begin? Lines blur when MEISTER takes flooring vertical. How is it done? It's surprisingly easy! A simple system of metal rails and fixing clips ensures that Longlife parquet also cuts a fine figure on the wall. Real life in the third dimension.

You can make your walls more beautiful with all MeisterParquet. longlife collections up to 13 mm thick (except PS 500).



## Parquet on the stairs

Formal, elegant and a visual treat. Uniform stair design with original Longlife parquet: Flooring, steps, risers and stair edges made of the same wood. Edge profiles available in L and U versions. The profiles are available in all parquet flooring shades in the MeisterParquet. longlife PD 400 parquet collection (exception: smoked woods). We recommend that the flooring is installed by qualified specialist craftsmen.







# For a perfect finish


With MEISTER, you can be sure that everything goes together! Underlay materials, skirting boards, profiles and ends – you get everything from one source, Making your flooring into a long-lasting integrated furnishing solution that suits you perfectly.



Skirting board 13 PK profile / Plain white gloss 324 (decorative film)

## White/plain skirting boards

White skirting boards suit every style and effortlessly complement all other colours. Our mouldings with a white decorative film combine excellently with all floors. Some profiles are also available in the plain colours black, stainless steel and anthracite.



## Skirting boards in the same shade

Mouldings in the same shade or decor achieve pure harmony between the floor and skirting boards. They match the decor of the respective flooring, visually extending the floor up to the wall.



Skirting board 3 PK profile / Oak Nature 1084

## Skirting boards to paint yourself


The same colour as your walls? To match your furniture? Or completely different? It's up to you: design your skirting boards exactly according to your preferences!




Skirting board 9 PK profile / Paintable white 2222 (individual colour)




# Beautifully versatile: overview of skirting board profiles




Skirting board  
2 PK profile



Skirting board  
3 PK profile




Skirting board  
5 PK profile




Skirting board  
profile 6




Quarter round  
7 profile




Skirting board  
8 PK profile




Skirting board  
9 PK profile




Skirting board  
10 PK profile  
10 F MK profile




Skirting board  
11 PK profile  
11 F MK profile




Skirting board  
12 PK profile  
12 F MK profile




Skirting board  
13 PK profile



Skirting board  
14 MK profile  
14 F MK profile




Skirting board  
15 MK profile  
15 F MK profile




Skirting board  
16 MK profile




Skirting board  
17 profile




Skirting board  
18 PK profile




Skirting board  
19 PK profile



Skirting board  
20 PK profile



Skirting board  
20 PK Aqua profile



Skirting board  
21 F MK profile



Skirting board  
22 F MK profile



**PK /MK profile:**  
MDF base material  
(PK Aqua: polystyrene base material)

**F MK profile:**  
Spruce base material

# The complete system counts: Underlay for high-quality flooring

Without a good underlay, it's not a good floor: The underlay material has a significant influence on the durability of the flooring and is an important component of how the entire system functions as far as day-to-day wear is concerned. Premium-quality flooring may suffer damage when laid on poor-quality underlay. High-quality underlay ensures long enjoyment of your flooring – by preventing damage to the click connections with ideal pressure stability, for example. Excessively soft underlay can have a significantly negative effect on fold-down connections. When choosing an underlay material, both the sub-flooring and the flooring to be installed are important. Whether your sub-flooring is concrete, wooden floorboards, prefabricated screed or existing flooring such as tiles or stone: with a comprehensive underlay range, MEISTER ensures that every MEISTER floor can be laid on your sub-flooring.

Underlay/ subfloor	Silence 25 dB	Silence 20	Silence 15 dB	SilenceEco	Twin control	Foam film	Plastic film
Wooden planks	–	✓	–	✓	–	✓	–
Prefabricated screed (e.g. wood-based boards, OSB boards, dry screed boards)	–	✓	–	✓	–	✓	–
Mineral subfloors (e.g. cement screed, anhydride screed)	✓	with plastic (PE) film	✓	with plastic (PE) film	✓	with plastic (PE) film	✓
Mastic asphalt screed	–	✓	–	✓	–	✓	–
Existing coverings (e.g. ceramic tiles and boards, natural stone)	✓	with plastic (PE) film	✓	with plastic (PE) film	✓	with plastic (PE) film	✓
PVC/linoleum in rolls	–	✓	–	✓	–	✓	–



# The MEISTER underlay materials:

Thanks to the special PUR mineral blend, MEISTER Silence 25 DB, MEISTER-Silence 20 or MEISTER-Silence 15 DB are the ideal insulating underlay for effective room and footfall noise protection. The high net weight of the products also further improves their sound-absorbing properties. In the case of Silence 25 DB and 15 DB the vapour barrier is already integrated, eliminating the need to lay an additional PE film. This is also true for MEISTER Twin Control. The insulating underlay made from closed-cell, moisture-resistant, permanently elastic extruded polyurethane foam also features a practical, integrated self-adhesive strip along its length. With a roll length of 25 m, it is fast and easy to lay and additionally offers excellent footfall noise reduction. Our MEISTER SilenceEco insulating board in the format 59 × 79 cm is highly sustainable, as it is made largely of natural wood fibres – a renewable raw material. At 3 mm thick, it ranks alongside MEISTER Silence 25 DB as one of the thickest underlays in the MEISTER product range. MEISTER foam film is an insulating underlay with a higher density than many other commercially available foam films; in combination with MEISTER PE film, it provides optimum moisture protection.

1. MEISTER Silence 25 DB with integrated vapour barrier / 3 mm
2. MEISTER Silence 20 / 2.5 mm
3. MEISTER-Silence 15 DB with integrated vapour barrier / 2 mm
4. MEISTER SilenceEco / 3 mm
5. MEISTER Twin Control with integrated vapour barrier and adhesive strips / 2 mm
6. MEISTER foam film / 2 mm




**Selection,  
installation,  
maintenance  
and more:**

**All the online  
services you  
need for your  
parquet  
flooring**

From floor selection and installation to cleaning, value preservation and small repairs, our website [www.meister.com](http://www.meister.com) and our YouTube channel ([youtube.com/MeisterWerkeTV](https://youtube.com/MeisterWerkeTV)) offer valuable tips and information all about your new parquet flooring!










## View flooring in your own room

Deciding on a new floor is not always easy. Light? Dark? Which format? Does the floor match the sofa? All these questions can be easily answered using our MEISTER Interior Designer, because with this tool, you can view MEISTER flooring in your own room!



Go to the Interior Designer:  
[www.meister.com/en/service/  
interior-designer-new.html](http://www.meister.com/en/service/interior-designer-new.html)





## Installation videos

### Installing parquet flooring with Masterclc Plus

Masterclc Plus is a particularly convenient click system that gets along well without the need for a hammer but is nonetheless completely stable and sealed.



Watch Masterclc Plus installation video:  
<https://bit.ly/3sT5Rfw>



### Installing PS 300 with Multiclic

With the Multiclic click system, the planks are angled in towards each other longitudinally and at the head end – simply, quickly and securely!



Watch the Multiclic installation video:  
<https://bit.ly/3sIjqDd>

### Installing PS 500 (Herringbone) with UniZip

And despite its highly artistic look, herringbone parquet from MEISTER is extremely easy to install – this also applies to the PS 500 parquet collection.




Watch UniZip installation video:  
<https://bit.ly/3eOddJ3>

## Tips for cleaning and care

Regular cleaning and care is important to keep your flooring beautiful for longer and so that the surface maintains its protective function. You can find all the information about suitable cleaning products, care for oiled and ultra matt lacquered surfaces and other tips to preserve the value of your floor at [www.meister.com/en/advice.html](http://www.meister.com/en/advice.html) and on the parquet flooring product page: [www.meister.com/en/products/parquet-flooring.html](http://www.meister.com/en/products/parquet-flooring.html)



[www.meister.com/en/advice.html](http://www.meister.com/en/advice.html)







© 2023 by MeisterWerke Schulte GmbH

**Printed on 100% recycled paper, FSC®-certified**

Colours and textures may vary due to printing conditions.

We reserve the right to make changes. No responsibility is assumed for errors.

EN

**MEISTER – a MeisterWerke Schulte GmbH brand**

Johannes-Schulte-Allee 5 / 59602 Rühren-Meiste / GERMANY

Phone + 49 2952 816-0 / Fax + 49 2952 816-66 / [www.meister.com](http://www.meister.com)

968007011A01

02/23

